


PV Bleeding + Shock

(In First Trimester)

For the reluctant obstetrician...



@Obcast



PV Bleeding + Shock

- DDX

- Ectopic Pregnancy
- Miscarriage
 - Hypovolaemic shock
 - Cervical shock

PV bleeding + Shock

Is there intraabdominal free fluid?

YES




NO

Likely Ectopic

1. Resuscitate
2. OT for Salpingectomy

Likely Incomplete Miscarriage

1. Speculum exam ? Cervical shock
2. Resuscitate
3. OT for Suction Evacuation




@Obcast

PV Bleeding + Shock

Ectopic Pregnancy

- Resuscitation
 - Minimise crystalloid / Early PRBCs
 - MTP
- Facilitation of OT



@Obcast



PV Bleeding + Shock

Incomplete Miscarriage with cervical shock

- Speculum exam with analgesia
- Remove products with sponge forceps

- Equipment:
 - Gloves
 - Speculum
 - Sponge forceps
 - Gauze



PV Bleeding + Shock

Incomplete Miscarriage with hypovolaemic shock

- Resuscitate
 - Minimise crystalloid / Early PRBCs
 - MTP
- Speculum exam with analgesia / remove products with sponge forceps
- Facilitate OT for Suction Evacuation
- Consider uterotonics: Ergometrine 250mcg IV / Misoprostol 1000mcg PR
 - Oxytocin receptors not present during first trimester
- Other options: Bimanual compression / IDC tamponade

PV Bleeding + Shock

- DDX

- Ectopic Pregnancy
- Miscarriage
 - Hypovolaemic shock
 - Cervical shock

PV bleeding + Shock

Is there intraabdominal free fluid?

YES




NO

Likely Ectopic

1. Resuscitate
2. OT for Salpingectomy

Likely Incomplete Miscarriage

1. Speculum exam ? Cervical shock
2. Resuscitate
3. OT for Suction Evacuation




@Obcast

PV Bleeding + Shock

(In First Trimester)

For the reluctant obstetrician...



@Obcast

